

# S0001 MesenPlify™ sXF Basal Media

This SDS documents the detailed information for safe handling and use of products.

### A. Basic Information/ Identification of Material

Category Specialized Basal Media (for human mesenchymal stem cells)

Product Name MesenPlify™ sXF Basal Media

Product Type Liquid

Catalogue Number S0001

#### **Recommended and Restricted Use**

The media shall be used for research. Not use for diagnostic nor clinical use.

## Supplier/ Manufacturer

[Singapore]

InnoCellular Tech Pte Ltd.

Main Laboratory Block 79 Ayer Rajah Crescent #05-03, Singapore 139955

# **B.** Hazards Identification

#### OSHA/HCA

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Classification of the substance or mixture

Not Classified.

## Hazards not otherwise classified

Not known

**GHS Label** 

Signal word No Signal Word.

**Hazard Statements** No known significant effects or critical hazards.

**Precautionary Statements** 

PreventionNot Applicable.ResponseNot Applicable.

\_\_\_\_\_

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

StorageNot Applicable.DisposalNot Applicable.

# C. Composition and Information on Ingredients

Substance/mixture Mixture

Other means of identification Not available

<u>CAS Number/Other Identifiers</u> EC Number Chemical Formula

Not Applicable. Mixture Not Applicable.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

### D. First Aid Measures

#### **Description of Necessary First Aid Measure**

**Eye Contact.** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Skin Contact.** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Inhalation.** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Ingestion.** Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most Important Symptoms and Effects, both Acute and Delayed

#### Potential Acute Health Effects:

Eye Contact
Skin Contact
Inhalation
Ingestion

No known significant effects or critical hazards.

## Over-Exposure Signs/Symptoms:

Eye ContactNo specific data.Skin ContactNo specific data.InhalationNo specific data.IngestionNo specific data.

## Indication of immediate medical attention and special treatment needed, if necessary

.....

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

#### Notes to physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### **Specific Treatment**

No specific treatment.

#### **Protection of First-Aiders**

No action shall be taken involving any personal risk or without suitable training.

### E. Fire Fighting Measures

#### **Extinguishing media**

### Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### Unsuitable extinguishing media

None known.

#### Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur, and the container may burst.

#### Hazardous thermal decomposition products

No specific data.

#### Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate personal protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# F. Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective equipment.

......

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

#### For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### **Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

#### Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations(see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

#### G. Handling and Storage

#### Precautions for safe handling

## Protective measures

Put on appropriate personal protective equipment.

#### Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### **H. Exposure Controls and Personal Protection**

#### **Control parameters**

Occupational exposure limits

None.

#### Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

\_\_\_\_\_

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

#### **Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

#### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### **Body protection**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## I. Physical and Chemical Properties

<u>Appearance</u>

Physical state Liquid.

**Colour** Red (with phenol red)

Odor Not Available.
Odor threshold Not Available.
pH 7 to 7.4
Melting point/freezing point Not Available.
Boiling point, Not Available.

\_\_\_\_\_

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

initial boiling point, and boiling range

Flash point Not Available.

Burning time Not Applicable.

Burning rate Not Applicable.

Evaporation rate Not Available.

Flammability Not Available.

Lower and upper explosive

Not Available. (flammable) limits Vapor pressure Not Available. Relative vapor density Not Available. Not Available Relative density Solubility(in other solvents) Not Available. Solubility in water Not Available. Partition coefficient Not Available. **Auto-ignition temperature** Not Available. **Decomposition temperature** Not Available. **SADT** Not Available. Viscosity Not Available. Flow time (ISO 2431) Not Available.

# J. Stability and Reactivity

#### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### **Chemical stability Possibility of hazardous reactions**

The product is stable.

## Possibility of hazardous reactions

None under normal conditions of storage and use.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

#### Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **K.** Toxicology Information

#### Information on toxicological effects

Acute toxicity
Irritation/Corrosion
Sensitization
Not available.
Not available.

\_\_\_\_\_

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

MutagenicityNot available.CarcinogenicityNot available.Reproductive toxicityNot available.TeratogenicityNot available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** Not available.

Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal.

#### Potential acute health effects

Eye contactNo known significant effects or critical hazardsSkin contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazardsIngestionNo known significant effects or critical hazards

#### Symptoms related to the physical, chemical, and toxicological characteristics.

Eye contactNo specific data.Skin contactNo specific data.InhalationNo specific data.IngestionNo specific data.

Delayed and immediate effects and also chronic effects from short- and long-term exposure

Short term exposure

Potential immediate effectsNot available.Potential delayed effectsNot available.

Long term exposure

Potential immediate effects

Not available.

Potential delayed effects

Not available.

Potential chronic health effects

Not available

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental EffectsNo known significant effects or critical hazards.Fertility EffectsNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Not Applicable.

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

### L. Ecological Information

ToxicityNot available.Persistence/DegradabilityNot available.Bioaccumulative PotentialNot available.

**Mobility in Soil** 

Soil/Water Partition Coefficient (Koc) Not available.

Reproductive toxicity Not available

Other adverse effects No known significant effects or critical hazards.

## M. Disposable Considerations

#### **Disposal Methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers

## N. Transport Information

UN Not regulated.
IATA Not regulated.
IMDG Not regulated.
ADR/RID Not regulated.
ADN Not regulated.

#### Special precautions for users

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### O. Regulatory Information

Singapore - hazardous chemicals under government control None.

International regulations:

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

\_\_\_\_\_

MesenPlify™ sXF Basal Media Document Number: S0001-1-E



# S0001 MesenPlify™ sXF Basal Media

Not listed

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**International List** 

National inventory

Europe Not Determined.
United States Not Determined.
Canada inventory Not Determined.
China Not Determined.
Malaysia Not Determined.

#### P. Other Information

#### **Prepared By**

Laboratory and Manufacturing Management. InnoCellular Tech Pte Ltd.

Revision Date July 31 2023

**Revision Note** 

1.0

Abbreviations and acronyms

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

OSHA - Occupational Safety and Health Administration of the US Department of Labour

IATA - International Air Transport Association

**DOT - Department of Transportation** 

IMDG - International Maritime Dangerous Goods

UN = United Nations

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. InnoCellular Tech Pte Ltd shall not be held liable for any damage resulting from handling or from contact with the product.

**End of Safety Data Sheet** 

.....

MesenPlify™ sXF Basal Media Document Number: S0001-1-E